Journal of Testing and Evaluation
Author Index to Volume 33
2005

Number	Month of Issue	Pages
1	January	1–66
2	March	67–138
3	May	139–216
4	July	217–286
5	September	287–376
6	November	377–465

A

Abo-Qudais, S: *see* Obaidat, MT, Abo-Qudais, S, and Obaidat, AF

Aguilar-Chávez, A: *see* Tamari, S and Aguilar-Chávez, A

Akinyokun, OC: *see* Uzoka, F and Akinyokun, OC

Atkinson, M: An Investigation of Hydraulic Bulging as a Biaxial Straining Test for Sheet Metal, Jan., 19

B

Baker, EH: *see* Duffy, SF, Baker, EH, Wereszczak, AA, and Swab, JJ

Baker, F and Bomberg, M: The Functional Requirements for Water Resistive Barriers Exposed to Incidental Water Leakage. Part 1: Classification of Membranes, May, 207

Bandara, N: *see* Meegoda, JN, Rowe, GM, Jumikis, AA, Hettiarachchi, CH, Bandara, N, and Gephart, NC

Barbero, E and Rangarajan, S: Long-Term Testing of Trenchless Pipe Liners, Nov., 377

Barnett, TR: *see* Verrilli, MJ, DiCarlo, JA, Calomino, A, Yun, H, and Barnett, TR

Bennert, T, Hanson, D, Maher, A, and Vitillo, N: Influence of Pavement Surface Type on Tire/Pavement Generated Noise, March, 94

Benson, P: *see* Rao, SM, Warith, MA, Evgin, E, and Benson, P

Blau, PJ: *see* Qu, J, Truhan, JJ, and Blau, PJ

Bomberg, M, Pazera, M, and Onysko, D: The Functional Requirements for Water Resistive Barriers Exposed to Incidental Water Leakage, Part 2: Testing Materials, May, 174

Bomberg, M: *see* Baker, F and Bomberg, M

Boubaker, K: Effects of Carburizing Treatment on First-Order Correlation Between Steel Vickers Hardness and Thermal Diffusivity, Jan., 14

Bouhlel, MS: *see* Fourati, W, Kammoun, F, and Bouhlel, MS

Burgess, G, Singh, SP, and Srinangyam, M: Predicting Collapse Times for Corrugated Boxes Under Constant Top Load Using Short-Term Creep Tests, July, 283

Buttlar, WG: *see* Wagoner, MP, Buttlar, WG, and Paulino, GH

C

Calomino, A: *see* Verrilli, MJ, DiCarlo, JA, Calomino, A, Yun, H, and Barnett, TR

Celik, ON: Air Permeability of Asphalt Concrete Made with Shredded-Tire Rubber-Modified Binders and its Relationship with Porosity, July, 217

Chen, J: *see* Zhou, L and Chen, J

Chen, P, Chua, PS, and Lim, GH: An Experimental Study of Monitoring Internal Leakage in Water Hydraulic Cylinders Using Acoustic Emission, Nov., 445

Chua, PS: *see* Chen, P, Chua, PS, and Lim, GH

D

DiCarlo, JA: *see* Verrilli, MJ, DiCarlo, JA, Calomino, A, Yun, H, and Barnett, TR

Duffy, SF, Baker, EH, Wereszczak, AA, and Swab, JJ: Weibull Analysis Effective Volume and Effective Area for a Ceramic C-Ring Test Specimen, July, 233

Dzugan, J: Corrected Procedure for Crack Length Calculation by the Unloading Compliance Technique for Charpy-sized Specimens, Nov., 433

E

Evgin, E: *see* Rao, SM, Warith, MA, Evgin, E, and Benson, P

F

Fan, SC: *see* Jiao, YY, Fan, SC, and Zhao, J

Fatzinger, EC and Hill, Ev: Low Proof Load Prediction of Ultimate Loads of Fiberglass/Epoxy Resin I-Beams Using Acoustic Emission, Sept., 340

Fields, R: *see* Pinnell, MF, Fields, R, and Zabora, R

Fourati, W, Kammoun, F, and Bouhlel, MS: Medical Image Denoising Using Wavelet Thresholding, Sept., 364

G

Gardner, DJ: *see* Lopez-Anido, RA, Muszynski, L, Gardner, DJ, Goodell, B, and Herzog, B

Gephart, NC: *see* Meegoda, JN, Rowe, GM, Jumikis, AA, Hettiarachchi, CH, Bandara, N, and Gephart, NC

Glaser, R, Kurimo, R, Neumeister, C, and Shulman, S: Data Supporting ASTM Method D 7049-04, for Determination of Metalworking Fluids, Sept., 323

Gong, YB: *see* Tamilselvan, T, Lo, KW, Gong, YB, and Zhao, MM

Goodell, B: *see* Lopez-Anido, RA, Muszynski, L, Gardner, DJ, Goodell, B, and Herzog, B

Graefe, W: Theoretical Derivation and Experimental Examination of the Stromeyer Relation for the Analysis of Fatigue Data, May, 160

Graham, SM: Evaluation of Welds Exhbiting large Scatter in Charpy Toughness Using the Reference Temperature, Jan., 32

Gupta, R and Siller, T: Shear Strength of Structural Composite Lumber Using Torsion Tests, March, 110

Gupta, R, Miller, TH, and Kittel, MR: Small-Scale Modeling of Metal-Plate-Connected Wood Truss Joints, May, 139

Gurumoorthy, C and Singh, DN: Centrifuge Modeling of Diffusion Through the Rock Mass, Jan., 44

H

Han, L: *see* Tsung, T and Han, L

Hanson, D: *see* Bennert, T, Hanson, D, Maher, A, and Vitillo, N

Hasan, N: *see* Mamlouk, MS, Witczak, MW, Kaloush, KE, and Hasan, N

He, Q: Characteristic Fatigue-Creep Interaction Behavior of an ESR-Cast-to-Shape Gas Turbine Disc Alloy with Coarse Branch Crystals at High Temperature, March, 127

Herzog, B: *see* Lopez-Anido, RA, Muszynski, L, Gardner, DJ, Goodell, B, and Herzog, B

Hettiarachchi, CH: *see* Meegoda, JN, Rowe, GM, Jumikis, AA, Hettiarachchi, CH, Bandara, N, and Gephart, NC

Hill, Ev: *see* Fatzinger, EC and Hill, Ev

Hiromi, S: *see* Miki, C, Kazuhiro, N, Hiromi, S, and Minoru, T

Hong, Y, Muszynski, L, and Lopez-Anido, RA: Modeling and Calibration of a Laminating Press Prototype for Fiber-Reinforced Polymer-Glulam Billets, Nov., 395

Horiguchi, K and Shindo, Y: Fracture and Adiabatic Heating of Thick-Section Weldment in Fe-24Cr-15Ni-4Mn-0.32N Stainless Steel with Ni-Base Filler Metals at 4 K, July, 227

J

Jiao, YY, Fan, SC, and Zhao, J: Numerical Investigation of Joint Effect on Shock Wave Propagation in Jointed Rock Masses, May, 197

Jumikis, AA: *see* Meegoda, JN, Rowe, GM, Jumikis, AA, Hettiarachchi, CH, Bandara, N, and Gephart, NC

K

Kajiwara, G: Improvement to X-ray Piping Diagnostic System through Simulation (Measuring Thickness of Piping Containing Rust), Sept., 295

Kaloush, KE: *see* Mamlouk, MS, Witczak, MW, Kaloush, KE, and Hasan, N

Kamasaki, K: *see* Ohtani, T and Kamasaki, K

Kammoun, F: *see* Fourati, W, Kammoun, F, and Bouhlel, MS

Kastelec, S: *see* Yebuah, R, Tonkovic, M, and Kastelec, S

Kazuhiro, N: *see* Miki, C, Kazuhiro, N, Hiromi, S, and Minoru, T

Kieselbach, R and Krieg, R: Size Effect in Strain Limits of Medium Strength Steel, Sept., 348

King, BA: *see* Kwong, AK, Tham, LG, and King, BA

Kittel, MR: *see* Gupta, R, Miller, TH, and Kittel, MR

Krieg, R: *see* Kieselbach, R and Krieg, R

Kubojima, Y, Tonosaki, M, and Yoshihara, H: Effect of Additional Mass on the Young's Modulus of a Wooden Beam, July, 278

Kumaran, MK: *see* Mukhopadhyaya, P, Kumaran, MK, and Lackey, J

Kurimo, R: *see* Glaser, R, Kurimo, R, Neumeister, C, and Shulman, S

Kvasnak, AN and Williams, RC: Analysis of Variability in Pay Factor Systems and Sampling Methods, July, 258

Kwong, AK, Tham, LG, and King, BA: Application of 3-D Laser Scanning Technique to Slope Movement Monitoring, July, 266

L

Lackey, J: *see* Mukhopadhyaya, P, Kumaran, MK, and Lackey, J

Lange, CR and Stroup-Gardiner, M: Quantification of Potentially Odorous Volatile Organic Compounds from Asphalt Binders Using Head-Space Gas Chromatography, March, 101

Lee, Y: *see* Mayer, JM, Long, KW, and Lee, Y

Leelavathamma, B and Pandian, NS: Effect of Class C Fly Ash on the California Bearing Ratio Behavior of Soil-Fly Ash Mixes and Layered Systems, March, 88

Leelavathamma, B, Mini, KM, and Pandian, NS: California Bearing Ratio Behavior of Soil-Stabilized Class F Fly Ash Systems, Nov., 406

Li, S, Zhu, K, and Noureldin, S: Considerations in Developing a Network Pavement Inventory Friction Test Program for a State Highway Agency, Sept., 287

Li, S: *see* Wang, X, Li, S, Xie, D, and Tao, S

Lim, GH: *see* Chen, P, Chua, PS, and Lim, GH

Lo, KW: *see* Tamilselvan, T, Lo, KW, Gong, YB, and Zhao, MM

Long, KW: *see* Mayer, JM, Long, KW, and Lee, Y

Lopez-Anido, RA, Muszynski, L, Gardner, DJ, Goodell, B, and Herzog, B: Performance-Based Material Evaluation of Fiber-Reinforced Polymer-Wood Interfaces in Reinforced Glulam Members, Nov., 385

Lopez-Anido, RA: *see* Hong, Y, Muszynski, L, and Lopez-Anido, RA

M

Maher, A: *see* Bennert, T, Hanson, D, Maher, A, and Vitillo, N

Makabe, C, Purnowidodo, A, Miyazaki, T, and McEvily, AJ: Deceleration and Acceleration of Crack Propagation after an Overload under Negative Baseline Stress Ratio, May, 181

Mamlouk, MS, Witczak, MW, Kaloush, KE, and Hasan, N: Determination of Thermal Properties of Asphalt Mixtures, March, 118

Maragakis, M: *see* Meis, R, Maragakis, M, and Siddharthan, R

Mayer, JM, Long, KW, and Lee, Y: A Methodology for Fuel Tank Durability Test Development, March, 81

McEvily, AJ: *see* Makabe, C, Purnowidodo, A, Miyazaki, T, and McEvily, AJ

Meegoda, JN, Rowe, GM, Jumikis, AA, Hettiarachchi, CH, Bandara, N, and Gephart, NC: Estimation of Surface Macrotexture in Hot Mix Asphalt Concrete Pavements Using Laser Texture Data, Sept., 305

Meged, Y: Evaluation of Alternative Erosion Test Methods, May, 150

Meged, Y: Thermal Control of the Test Liquid in Vibratory Cavitation Erosion Tests, Sept., 331

Meis, R, Maragakis, M, and Siddharthan, R: Dynamic Axial Stiffness of Typical Restrained and Unrestrained Underground Pipe Joints, Nov., 411

Miki, C, Kazuhiro, N, Hiromi, S, and Minoru, T: Performance Evaluation Test of

Automatic Ultrasonic Testing Systems for Welded Joints of Steel Bridges, July, 246

Miller, TH: *see* Gupta, R, Miller, TH, and Kittel, MR

Mini, KM: *see* Leelavathamma, B, Mini, KM, and Pandian, NS

Minoru, T: *see* Miki, C, Kazuhiro, N, Hiromi, S, and Minoru, T

Miyazaki, T: *see* Makabe, C, Purnowidodo, A, Miyazaki, T, and McEvily, AJ

Mukhopadhyaya, P, Kumaran, MK, and Lackey, J: Use of the Modified Cup Method to Determine Temperature Dependency of Water Vapor Transmission Properties of Building Materials, Sept., 316

Muszynski, L: *see* Lopez-Anido, RA, Muszynski, L, Gardner, DJ, Goodell, B, and Herzog, B see Hong, Y, Muszynski, L, and Lopez-Anido, RA

N

Nascimento, H, Santos, SC, Sales, WF, and Palma, ES: Influence of Two Hexavalent Chromium-Free Coating types on Mechanical Behavior of Bolted Joints, May, 168

Neumeister, C: *see* Glaser, R, Kurimo, R, Neumeister, C, and Shulman, S

Noureldin, S: *see* Li, S, Zhu, K, and Noureldin, S

O

Obaidat, AF: *see* Obaidat, MT, Abo-Qudais, S, and Obaidat, AF

Obaidat, MT, Abo-Qudais, S, and Obaidat, AF: Evaluation of Stripping in Bituminous Mixtures Using Conventional and Image Processing Techniques, Nov., 418

Ohtani, T and Kamasaki, K: Investigations of Testing Methodology in Wood Abrasion Tests Promoted with Loose Abrasive Grains, Nov., 439

Onysko, D: *see* Bomberg, M, Pazera, M, and Onysko, D

P

Palma, ES: *see* Nascimento, H, Santos, SC, Sales, WF, and Palma, ES

Pandian, NS: *see* Leelavathamma, B and Pandian, NS
see Leelavathamma, B, Mini, KM, and Pandian, NS

Patterson, JE: *see* Phillips, JH and Patterson, JE

Paulino, GH: *see* Wagoner, MP, Buttlar, WG, and Paulino, GH

Pazera, M: *see* Bomberg, M, Pazera, M, and Onysko, D

Peter, J: *see* Sivakumar Babu, GL, Rao, RS, and Peter, J

Phillips, JH and Patterson, JE: Determination of Formaldehyde Evolved During the Curing of Melamine-Formaldehyde-Based Coatings, March, 73

Pinnell, MF, Fields, R, and Zabora, R: Results of an Interlaboratory Study of the ASTM Standard Test Method for Tensile Properties of Polymer Matrix Composites D3039, Jan., 27

Purnowidodo, A: *see* Makabe, C, Purnowidodo, A, Miyazaki, T, and McEvily, AJ

Q

Qu, J, Truhan, JJ, and Blau, PJ: Application of the ASTM Loop Abrasion Test to Cylindrical Specimens, Jan., 9

R

Rangarajan, S: *see* Barbero, E and Rangarajan, S

Rao, RS: *see* Sivakumar Babu, GL, Rao, RS, and Peter, J

Rao, S and Roesler, JR: Nondestructive Testing of Concrete Pavements for Characterization of Effective Built-In Curling, Sept., 356

Rao, SM, Warith, MA, Evgin, E, and Benson, P: Evaluation of Permeability of Tire Shreds Under Vertical Loading, Jan., 51

Roesler, JR: *see* Rao, S and Roesler, JR

Rowe, GM: *see* Meegoda, JN, Rowe, GM, Jumikis, AA, Hettiarachchi, CH, Bandara, N, and Gephart, NC

S

Sales, WF: *see* Nascimento, H, Santos, SC, Sales, WF, and Palma, ES

Santos, SC: *see* Nascimento, H, Santos, SC, Sales, WF, and Palma, ES

Shindo, Y: *see* Horiguchi, K and Shindo, Y

Shulman, S: *see* Glaser, R, Kurimo, R, Neumeister, C, and Shulman, S

Siddharthan, R: *see* Meis, R, Maragakis, M, and Siddharthan, R

Siller, T: *see* Gupta, R and Siller, T

Singh, DN and Sreedeep, S: A Study to Investigate Influence of Soil Properties on its Suction, Jan., 61

Singh, DN: *see* Gurumoorthy, C and Singh, DN
see Thakur, VK and Singh, DN

Singh, SP: *see* Burgess, G, Singh, SP, and Srinangyam, M

Sivakumar Babu, GL, Rao, RS, and Peter, J: Evaluation of Shear Strength Functions Based on Soil Water Characteristic Curves, Nov., 461

Smith, RH: "Test Foot Contact Time Effects in Pedestrian Slip-Resistance Metrology", Jan., 39

Sreedeep, S: *see* Singh, DN and Sreedeep, S

Srinangyam, M: *see* Burgess, G, Singh, SP, and Srinangyam, M

Stroup-Gardiner, M: *see* Lange, CR and Stroup-Gardiner, M

Suzuki, A: *see* Yoshihara, H and Suzuki, A

Swab, JJ: *see* Duffy, SF, Baker, EH, Wereszczak, AA, and Swab, JJ

T

Tamari, S and Aguilar-Chávez, A: Optimum Design of Gas Pycnometers for Determining the Volume of Solid Particles, March, 135

Tamilselvan, T, Lo, KW, Gong, YB, and Zhao, MM: A Model for Mixed-Mode Fatigue, May, 188

Tao, S: *see* Wang, X, Li, S, Xie, D, and Tao, S

Thakur, VK and Singh, DN: Rapid Determination of Swelling Pressure of Clay Minerals, July, 239

Tham, LG: *see* Kwong, AK, Tham, LG, and King, BA

Tonkovic, M: *see* Yebuah, R, Tonkovic, M, and Kastelec, S

Tonosaki, M: *see* Kubojima, Y, Tonosaki, M, and Yoshihara, H

Truhan, JJ: *see* Qu, J, Truhan, JJ, and Blau, PJ

Tsung, T and Han, L: Evaluation of Hydraulic Pressure Drop using Manganin Wire and a Wiper-Cam-Operated Directional Valve, May, 204

U

Uzoka, F and Akinyokun, OC: Knowledge Base System for Human Resource Evaluation in a University Environment, Jan., 1

V

Verrilli, MJ, DiCarlo, JA, Calomino, A, Yun, H, and Barnett, TR: Hoop Tensile Properties of Ceramic Matrix Composite Cylinders, Sept., 370

Vitillo, N: *see* Bennert, T, Hanson, D, Maher, A, and Vitillo, N

W

Wagoner, MP, Buttlar, WG, and Paulino, GH: Development of a Single-Edge Notched Beam Test for Asphalt Concrete Mixtures, Nov., 452

Wang, DW, Wang, SW, and Zhao, SQ: Estimation of the Uncertainty of Fe in Metallic Silicon Determined by Inductively Coupled Plasmas-Atomic Emission Spectroscopy, May, 211

Wang, H: *see* Zheng, X, Zhao, K, Yan, J, and Wang, H

Wang, SW: *see* Wang, DW, Wang, SW, and Zhao, SQ

Wang, X, Li, S, Xie, D, and Tao, S: Novel Method of Evaluating Residual Stress in Vicinal Welds Based on the Magnetostrictive Technique, July, 222

Warith, MA: *see* Rao, SM, Warith, MA, Evgin, E, and Benson, P

Wereszczak, AA: *see* Duffy, SF, Baker, EH, Wereszczak, AA, and Swab, JJ

Williams, RC: *see* Kvasnak, AN and Williams, RC

Witczak, MW: *see* Mamlouk, MS, Witczak, MW, Kaloush, KE, and Hasan, N

X

Xie, D: *see* Wang, X, Li, S, Xie, D, and Tao, S

Y

Yan, J: *see* Zheng, X, Zhao, K, Yan, J, and Wang, H

Yebuah, R, Tonkovic, M, and Kastelec, S: Conversion of Elongation Values for Cold-Rolled Low Carbon Steel Sheets, March, 130

Yoshihara, H and Suzuki, A: Shear Stress/Shear Strain Relation of Wood Obtained by Asymmetric Four-Point Bending Test of Sidetapered Specimen, Jan., 55

Yoshihara, H: *see* Kubojima, Y, Tonosaki, M, and Yoshihara, H

Yun, H: *see* Verrilli, MJ, DiCarlo, JA, Calomino, A, Yun, H, and Barnett, TR

Z

Zabora, R: *see* Pinnell, MF, Fields, R, and Zabora, R

Zhao, J: *see* Jiao, YY, Fan, SC, and Zhao, J

Zhao, K: *see* Zheng, X, Zhao, K, Yan, J, and Wang, H

Zhao, MM: *see* Tamilselvan, T, Lo, KW, Gong, YB, and Zhao, MM

Zhao, SQ: *see* Wang, DW, Wang, SW, and Zhao, SQ

Zheng, X, Zhao, K, Yan, J, and Wang, H: Fracture and Strength of Ceramic Notched Elements under Compression, March, 67

Zhou, L and Chen, J: On the Calculation of the Elastic Buckling Load of Structures from Experimental Data, July, 274

Zhu, K: *see* Li, S, Zhu, K, and Noureldin, S

Journal of Testing and Evaluation
Subject Index to Volume 33
2005

A

Acoustic emission
An Experimental Study of Monitoring Internal Leakage in Water Hydraulic Cylinders Using Acoustic Emission (Chen, P, Chua, PS, and Lim, GH), Nov., 445
Low Proof Load Prediction of Ultimate Loads of Fiberglass/Epoxy Resin I-Beams Using Acoustic Emission (Fatzinger, EC and Hill, Ev), Sept., 340

Adiabatic heating
Fracture and Adiabatic Heating of Thick-Section Weldment in Fe-24Cr-15Ni-4Mn-0.32N Stainless Steel with Ni-Base Filler Metals at 4 K (Horiguchi, K and Shindo, Y), July, 227

Air permeability
Air Permeability of Asphalt Concrete Made with Shredded-Tire Rubber-Modified Binders and its Relationship with Porosity (Celik, ON), July, 217

Asphalt concrete
Air Permeability of Asphalt Concrete Made with Shredded-Tire Rubber-Modified Binders and its Relationship with Porosity (Celik, ON), July, 217

Asphalt concrete mixtures
Development of a Single-Edge Notched Beam Test for Asphalt Concrete Mixtures (Wagoner, MP, Buttlar, WG, and Paulino, GH), Nov., 452

Asphalt mixtures
Determination of Thermal Properties of Asphalt Mixtures (Mamlouk, MS, Witczak, MW, Kaloush, KE, and Hasan, N), March, 118

Atomic emission spectroscopy
Estimation of the Uncertainty of Fe in Metallic Silicon Determined by Inductively Coupled Plasmas-Atomic Emission Spectroscopy (Wang, DW, Wang, SW, and Zhao, SQ), May, 211

Automatic ultrasonic testing
Performance Evaluation Test of Automatic Ultrasonic Testing Systems for Welded Joints of Steel Bridges (Miki, C, Kazuhiro, N, Hiromi, S, and Minoru, T), July, 246

B

Biaxial straining
An Investigation of Hydraulic Bulging as a Biaxial Straining Test for Sheet Metal (Atkinson, M), Jan., 19

Bituminous mixtures
Evaluation of Stripping in Bituminous Mixtures Using Conventional and Image Processing Techniques (Obaidat, MT, Abo-Qudais, S, and Obaidat, AF), Nov., 418

Bolt coating
Influence of Two Hexavalent Chromium-Free Coating types on Mechanical Behavior of Bolted Joints (Nascimento, H, Santos, SC, Sales, WF, and Palma, ES), May, 168

Bolted joints
Influence of Two Hexavalent Chromium-Free Coating types on Mechanical Behavior of Bolted Joints (Nascimento, H, Santos, SC, Sales, WF, and Palma, ES), May, 168

C

California bearing ratio
California Bearing Ratio Behavior of Soil-Stabilized Class F Fly Ash Systems (Leelavathamma, B, Mini, KM, and Pandian, NS), Nov., 406
Effect of Class C Fly Ash on the California Bearing Ratio Behavior of Soil-Fly Ash Mixes and Layered Systems (Leelavathamma, B and Pandian, NS), March, 88

Carburizing
Effects of Carburizing Treatment on First-Order Correlation Between Steel Vickers Hardness and Thermal Diffusivity (Boubaker, K), Jan., 14

Centrifuge modeling
Centrifuge Modeling of Diffusion Through the Rock Mass (Gurumoorthy, C and Singh, DN), Jan., 44

Ceramic matrix composites
Hoop Tensile Properties of Ceramic Matrix Composite Cylinders (Verrilli, MJ, DiCarlo, JA, Calomino, A, Yun, H, and Barnett, TR), Sept., 370

Ceramic notched elements
Fracture and Strength of Ceramic Notched Elements under Compression (Zheng, X, Zhao, K, Yan, J, and Wang, H), March, 67

Ceramics
Weibull Analysis Effective Volume and Effective Area for a Ceramic C-Ring Test Specimen (Duffy, SF, Baker, EH, Wereszczak, AA, and Swab, JJ), July, 233

Class C fly ash
Effect of Class C Fly Ash on the California Bearing Ratio Behavior of Soil-Fly Ash Mixes and Layered Systems (Leelavathamma, B and Pandian, NS), March, 88

Clay minerals
Rapid Determination of Swelling Pressure of Clay Minerals (Thakur, VK and Singh, DN), July, 239

Coatings
Determination of Formaldehyde Evolved During the Curing of Melamine-Formaldehyde-Based Coatings (Phillips, JH and Patterson, JE), March, 73

Collapse times
Predicting Collapse Times for Corrugated Boxes Under Constant Top Load Using Short-Term Creep Tests (Burgess, G, Singh, SP, and Srinangyam, M), July, 283

Compression
Fracture and Strength of Ceramic Notched Elements under Compression (Zheng, X, Zhao, K, Yan, J, and Wang, H), March, 67

Concrete pavements
Nondestructive Testing of Concrete Pavements for Characterization of Effective Built-In Curling (Rao, S and Roesler, JR), Sept., 356

Crack length
Corrected Procedure for Crack Length Calculation by the Unloading Compliance Technique for Charpy-sized Specimens (Dzugan, J), Nov., 433

Creep
Characteristic Fatigue-Creep Interaction Behavior of an ESR-Cast-to-Shape Gas Turbine Disc Alloy with Coarse Branch Crystals at High Temperature (He, Q), March, 127

Creep tests
Predicting Collapse Times for Corrugated Boxes Under Constant Top Load Using Short-Term Creep Tests (Burgess, G, Singh, SP, and Srinangyam, M), July, 283

C-Ring
Weibull Analysis Effective Volume and Effective Area for a Ceramic C-Ring Test Specimen (Duffy, SF, Baker, EH, Wereszczak, AA, and Swab, JJ), July, 233

Curling
Nondestructive Testing of Concrete Pavements for Characterization of Effective Built-In Curling (Rao, S and Roesler, JR), Sept., 356

D

3-D laser scanning
Application of 3-D Laser Scanning Technique to Slope Movement Monitoring (Kwong, AK, Tham, LG, and King, BA), July, 266

Diffusion
Centrifuge Modeling of Diffusion Through the Rock Mass (Gurumoorthy, C and Singh, DN), Jan., 44

Dynamic axial stiffness
Dynamic Axial Stiffness of Typical Restrained and Unrestrained Underground Pipe Joints (Meis, R, Maragakis, M, and Siddharthan, R), Nov., 411

E

Elastic buckling load
On the Calculation of the Elastic Buckling Load of Structures from Experimental Data (Zhou, L and Chen, J), July, 274

Elongation values
Conversion of Elongation Values for Cold-Rolled Low Carbon Steel Sheets (Yebuah, R, Tonkovic, M, and Kastelec, S), March, 130

Erosion resistance
Evaluation of Alternative Erosion Test Methods (Meged, Y), May, 150

Erosion test methods
Evaluation of Alternative Erosion Test Methods (Meged, Y), May, 150

Erosion tests
Thermal Control of the Test Liquid in Vibratory Cavitation Erosion Tests (Meged, Y), Sept., 331

Evaluation
Knowledge Base System for Human Resource Evaluation in a University Environment (Uzoka, F and Akinyokun, OC), Jan., 1

Evaluation of welds
Evaluation of Welds Exhbiting large Scatter in Charpy Toughness Using the Reference Temperature (Graham, SM), Jan., 32

F

Fatigue
Characteristic Fatigue-Creep Interaction Behavior of an ESR-Cast-to-Shape Gas Turbine Disc Alloy with Coarse Branch Crystals at High Temperature (He, Q), March, 127

Fatigue crack propagation
Deceleration and Acceleration of Crack Propagation after an Overload under Negative Baseline Stress Ratio (Makabe, C, Purnowidodo, A, Miyazaki, T, and McEvily, AJ), May, 181

Fatigue data
Theoretical Derivation and Experimental Examination of the Stromeyer Relation for the Analysis of Fatigue Data (Graefe, W), May, 160

Fatigue model
A Model for Mixed-Mode Fatigue (Tamilselvan, T, Lo, KW, Gong, YB, and Zhao, MM), May, 188

Fatigue testing
A Model for Mixed-Mode Fatigue (Tamilselvan, T, Lo, KW, Gong, YB, and Zhao, MM), May, 188

Fiber-reinforced polymers
Modeling and Calibration of a Laminating Press Prototype for Fiber-Reinforced Polymer-Glulam Billets (Hong, Y, Muszynski, L, and Lopez-Anido, RA), Nov., 395
Performance-Based Material Evaluation of Fiber-Reinforced Polymer-Wood Interfaces in Reinforced Glulam Members (Lopez-Anido, RA, Muszynski, L, Gardner, DJ, Goodell, B, and Herzog, B), Nov., 385

Fly ash
California Bearing Ratio Behavior of Soil-Stabilized Class F Fly Ash Systems (Leelavathamma, B, Mini, KM, and Pandian, NS), Nov., 406

Formaldehyde
Determination of Formaldehyde Evolved During the Curing of Melamine-Formaldehyde-Based Coatings (Phillips, JH and Patterson, JE), March, 73

Fracture
Fracture and Adiabatic Heating of Thick-Section Weldment in Fe-24Cr-15Ni-4Mn-0.32N Stainless Steel with Ni-Base Filler Metals at 4 K (Horiguchi, K and Shindo, Y), July, 227

Friction test program
Considerations in Developing a Network Pavement Inventory Friction Test Program for a State Highway Agency (Li, S, Zhu, K, and Noureldin, S), Sept., 287

Fuel tank durability
A Methodology for Fuel Tank Durability Test Development (Mayer, JM, Long, KW, and Lee, Y), March, 81

G

Gas chromatography
Quantification of Potentially Odorous Volatile Organic Compounds from Asphalt Binders Using Head-Space Gas Chromatography (Lange, CR and Stroup-Gardiner, M), March, 101

Gas pycnometer
Optimum Design of Gas Pycnometers for Determining the Volume of Solid Particles (Tamari, S and Aguilar-Chávez, A), March, 135

Glulam
Performance-Based Material Evaluation of Fiber-Reinforced Polymer-Wood Interfaces in Reinforced Glulam Members (Lopez-Anido, RA, Muszynski, L, Gardner, DJ, Goodell, B, and Herzog, B), Nov., 385

H

Hot mix asphalt
Estimation of Surface Macrotexture in Hot Mix Asphalt Concrete Pavements Using Laser Texture Data (Meegoda, JN, Rowe, GM, Jumikis, AA, Hettiarachchi, CH, Bandara, N, and Gephart, NC), Sept., 305

Human resources
Knowledge Base System for Human Resource Evaluation in a University Environment (Uzoka, F and Akinyokun, OC), Jan., 1

Hydraulic pressure drop
Evaluation of Hydraulic Pressure Drop using Manganin Wire and a Wiper-Cam-Operated Directional Valve (Tsung, T and Han, L), May, 204

I

ICP-AES
Estimation of the Uncertainty of Fe in Metallic Silicon Determined by Inductively Coupled Plasmas-Atomic Emission Spectroscopy (Wang, DW, Wang, SW, and Zhao, SQ), May, 211

Image denoising
Medical Image Denoising Using Wavelet Thresholding (Fourati, W, Kammoun, F, and Bouhlel, MS), Sept., 364

Image processing
Evaluation of Stripping in Bituminous Mixtures Using Conventional and Image Processing Techniques (Obaidat, MT, Abo-Qudais, S, and Obaidat, AF), Nov., 418

Inductively coupled plasma spectroscopy
Estimation of the Uncertainty of Fe in Metallic Silicon Determined by Inductively Coupled Plasmas-Atomic Emission Spectroscopy (Wang, DW, Wang, SW, and Zhao, SQ), May, 211

Interlaboratory study
Results of an Interlaboratory Study of the ASTM Standard Test Method for Tensile Properties of Polymer Matrix Composites D3039 (Pinnell, MF, Fields, R, and Zabora, R), Jan., 27

J

Joint effect
Numerical Investigation of Joint Effect on Shock Wave Propagation in Jointed Rock Masses (Jiao, YY, Fan, SC, and Zhao, J), May, 197

L

Laminating press
Modeling and Calibration of a Laminating Press Prototype for Fiber-Reinforced Polymer-Glulam Billets (Hong, Y, Muszynski, L, and Lopez-Anido, RA), Nov., 395

Laser texture data
Estimation of Surface Macrotexture in Hot Mix Asphalt Concrete Pavements Using Laser Texture Data (Meegoda, JN, Rowe, GM, Jumikis, AA, Hettiarachchi, CH, Bandara, N, and Gephart, NC), Sept., 305

Leakage
An Experimental Study of Monitoring Internal Leakage in Water Hydraulic Cylinders Using Acoustic Emission (Chen, P, Chua, PS, and Lim, GH), Nov., 445

Load prediction
Low Proof Load Prediction of Ultimate Loads of Fiberglass/Epoxy Resin I-Beams Using Acoustic Emission (Fatzinger, EC and Hill, Ev), Sept., 340

Loop abrasion
Application of the ASTM Loop Abrasion Test to Cylindrical Specimens (Qu, J, Truhan, JJ, and Blau, PJ), Jan., 9

Low-carbon steel
Conversion of Elongation Values for Cold-Rolled Low Carbon Steel Sheets (Yebuah, R, Tonkovic, M, and Kastelec, S), March, 130

M

Magnetostrictive technique
Novel Method of Evaluating Residual Stress in Vicinal Welds Based on the Magnetostrictive Technique (Wang, X, Li, S, Xie, D, and Tao, S), July, 222

Metalworking fluids
Data Supporting ASTM Method D 7049-04, for Determination of Metalworking Fluids (Glaser, R, Kurimo, R, Neumeister, C, and Shulman, S), Sept., 323

Modeling
Small-Scale Modeling of Metal-Plate-Connected Wood Truss Joints (Gupta, R, Miller, TH, and Kittel, MR), May, 139

Modified cup method
Use of the Modified Cup Method to Determine Temperature Dependency of Water Vapor Transmission Properties of Building Materials (Mukhopadhyaya, P, Kumaran, MK, and Lackey, J), Sept., 316

N

Negative stress ratio
Deceleration and Acceleration of Crack Propagation after an Overload under Negative Baseline Stress Ratio (Makabe, C, Purnowidodo, A, Miyazaki, T, and McEvily, AJ), May, 181

Network pavement inventory
Considerations in Developing a Network Pavement Inventory Friction Test Program for a State Highway Agency (Li, S, Zhu, K, and Noureldin, S), Sept., 287

Nondestructive testing
Nondestructive Testing of Concrete Pavements for Characterization of Effective Built-In Curling (Rao, S and Roesler, JR), Sept., 356

Notched beam test
Development of a Single-Edge Notched Beam Test for Asphalt Concrete Mixtures (Wagoner, MP, Buttlar, WG, and Paulino, GH), Nov., 452

P

Pavement surface
Influence of Pavement Surface Type on Tire/Pavement Generated Noise (Bennert, T, Hanson, D, Maher, A, and Vitillo, N), March, 94

Pay factor systems
Analysis of Variability in Pay Factor Systems and Sampling Methods (Kvasnak, AN and Williams, RC), July, 258

Permeability
Evaluation of Permeability of Tire Shreds Under Vertical Loading (Rao, SM, Warith, MA, Evgin, E, and Benson, P), Jan., 51

Pipe joints
Dynamic Axial Stiffness of Typical Restrained and Unrestrained Underground Pipe Joints (Meis, R, Maragakis, M, and Siddharthan, R), Nov., 411

Polymer matrix composites
Results of an Interlaboratory Study of the ASTM Standard Test Method for Tensile Properties of Polymer Matrix Composites D3039 (Pinnell, MF, Fields, R, and Zabora, R), Jan., 27

Porosity
Air Permeability of Asphalt Concrete Made with Shredded-Tire Rubber-Modified Binders and its Relationship with Porosity (Celik, ON), July, 217

R

Residual stress
Novel Method of Evaluating Residual Stress in Vicinal Welds Based on the Magnetostrictive Technique (Wang, X, Li, S, Xie, D, and Tao, S), July, 222

S

Sampling
Analysis of Variability in Pay Factor Systems and Sampling Methods (Kvasnak, AN and Williams, RC), July, 258

Shear strain
Shear Stress/Shear Strain Relation of Wood Obtained by Asymmetric Four-Point Bending Test of Sidetapered Specimen (Yoshihara, H and Suzuki, A), Jan., 55

Shear strength
Evaluation of Shear Strength Functions Based on Soil Water Characteristic Curves (Sivakumar Babu, GL, Rao, RS, and Peter, J), Nov., 461
Shear Strength of Structural Composite Lumber Using Torsion Tests (Gupta, R and Siller, T), March, 110

Shear stress
Shear Stress/Shear Strain Relation of Wood Obtained by Asymmetric Four-Point Bending Test of Sidetapered Specimen (Yoshihara, H and Suzuki, A), Jan., 55

Sheet metal
An Investigation of Hydraulic Bulging as a Biaxial Straining Test for Sheet Metal (Atkinson, M), Jan., 19

Shock wave propagation
Numerical Investigation of Joint Effect on Shock Wave Propagation in Jointed Rock Masses (Jiao, YY, Fan, SC, and Zhao, J), May, 197

Size effect
Size Effect in Strain Limits of Medium Strength Steel (Kieselbach, R and Krieg, R), Sept., 348

Slip resistance
"Test Foot Contact Time Effects in Pedestrian Slip-Resistance Metrology" (Smith, RH), Jan., 39

Slope movement
Application of 3-D Laser Scanning Technique to Slope Movement Monitoring (Kwong, AK, Tham, LG, and King, BA), July, 266

Small-scale modeling
Small-Scale Modeling of Metal-Plate-Connected Wood Truss Joints (Gupta, R, Miller, TH, and Kittel, MR), May, 139

Soil properties
A Study to Investigate Influence of Soil Properties on its Suction (Singh, DN and Sreedeep, S), Jan., 61

Soil water characteristics
Evaluation of Shear Strength Functions Based on Soil Water Characteristic Curves (Sivakumar Babu, GL, Rao, RS, and Peter, J), Nov., 461

Solid particles
Optimum Design of Gas Pycnometers for Determining the Volume of Solid Particles

(Tamari, S and Aguilar-Chávez, A), March, 135

Steel bridges
Performance Evaluation Test of Automatic Ultrasonic Testing Systems for Welded Joints of Steel Bridges (Miki, C, Kazuhiro, N, Hiromi, S, and Minoru, T), July, 246

Strain limits
Size Effect in Strain Limits of Medium Strength Steel (Kieselbach, R and Krieg, R), Sept., 348

Stripping
Evaluation of Stripping in Bituminous Mixtures Using Conventional and Image Processing Techniques (Obaidat, MT, Abo-Qudais, S, and Obaidat, AF), Nov., 418

Stromeyer relation
Theoretical Derivation and Experimental Examination of the Stromeyer Relation for the Analysis of Fatigue Data (Graefe, W), May, 160

Suction
A Study to Investigate Influence of Soil Properties on its Suction (Singh, DN and Sreedeep, S), Jan., 61

Surface macrotexture
Estimation of Surface Macrotexture in Hot Mix Asphalt Concrete Pavements Using Laser Texture Data (Meegoda, JN, Rowe, GM, Jumikis, AA, Hettiarachchi, CH, Bandara, N, and Gephart, NC), Sept., 305

Swelling pressure
Rapid Determination of Swelling Pressure of Clay Minerals (Thakur, VK and Singh, DN), July, 239

T

Temperature dependency
Use of the Modified Cup Method to Determine Temperature Dependency of Water Vapor Transmission Properties of Building Materials (Mukhopadhyaya, P, Kumaran, MK, and Lackey, J), Sept., 316

Tensile properties
Hoop Tensile Properties of Ceramic Matrix Composite Cylinders (Verrilli, MJ, DiCarlo, JA, Calomino, A, Yun, H, and Barnett, TR), Sept., 370

Test development
A Methodology for Fuel Tank Durability Test Development (Mayer, JM, Long, KW, and Lee, Y), March, 81

Thermal diffusivity
Effects of Carburizing Treatment on First-Order Correlation Between Steel Vickers Hardness and Thermal Diffusivity (Boubaker, K), Jan., 14

Thermal properties
Determination of Thermal Properties of Asphalt Mixtures (Mamlouk, MS, Witczak, MW, Kaloush, KE, and Hasan, N), March, 118

Tire/pavement noise
Influence of Pavement Surface Type on Tire/Pavement Generated Noise (Bennert, T, Hanson, D, Maher, A, and Vitillo, N), March, 94

Top load
Predicting Collapse Times for Corrugated Boxes Under Constant Top Load Using Short-Term Creep Tests (Burgess, G, Singh, SP, and Srinangyam, M), July, 283

Torsion tests
Shear Strength of Structural Composite Lumber Using Torsion Tests (Gupta, R and Siller, T), March, 110

Trenchless pipe liners
Long-Term Testing of Trenchless Pipe Liners (Barbero, E and Rangarajan, S), Nov., 377

U

Unloading compliance
Corrected Procedure for Crack Length Calculation by the Unloading Compliance Technique for Charpy-sized Specimens (Dzugan, J), Nov., 433

V

Vertical loading
Evaluation of Permeability of Tire Shreds Under Vertical Loading (Rao, SM, Warith, MA, Evgin, E, and Benson, P), Jan., 51

Vibratory cavitation
Thermal Control of the Test Liquid in Vibratory Cavitation Erosion Tests (Meged, Y), Sept., 331

Vicinal welds
Novel Method of Evaluating Residual Stress in Vicinal Welds Based on the Magnetostrictive Technique (Wang, X, Li, S, Xie, D, and Tao, S), July, 222

Vickers hardness
Effects of Carburizing Treatment on First-Order Correlation Between Steel Vickers Hardness and Thermal Diffusivity (Boubaker, K), Jan., 14

W

Water hydraulic cylinders
An Experimental Study of Monitoring Internal Leakage in Water Hydraulic Cylinders Using Acoustic Emission (Chen, P, Chua, PS, and Lim, GH), Nov., 445

Water vapor transmission
Use of the Modified Cup Method to Determine Temperature Dependency of Water Vapor Transmission Properties of Building Materials (Mukhopadhyaya, P, Kumaran, MK, and Lackey, J), Sept., 316

Water-resistive barrier
The Functional Requirements for Water Resistive Barriers Exposed to Incidental Water Leakage, Part 2: Testing Materials (Bomberg, M, Pazera, M, and Onysko, D), May, 174
The Functional Requirements for Water Resistive Barriers Exposed to Incidental Water Leakage. Part 1: Classification of Membranes (Baker, F and Bomberg, M), May, 207

Wavelet thresholding
Medical Image Denoising Using Wavelet Thresholding (Fourati, W, Kammoun, F, and Bouhlel, MS), Sept., 364

Weibull analysis
Weibull Analysis Effective Volume and Effective Area for a Ceramic C-Ring Test Specimen (Duffy, SF, Baker, EH, Wereszczak, AA, and Swab, JJ), July, 233

Welded joints
Performance Evaluation Test of Automatic Ultrasonic Testing Systems for Welded Joints of Steel Bridges (Miki, C, Kazuhiro, N, Hiromi, S, and Minoru, T), July, 246

Welding
Fracture and Adiabatic Heating of Thick-Section Weldment in Fe-24Cr-15Ni-4Mn-0.32N Stainless Steel with Ni-Base Filler Metals at 4 K (Horiguchi, K and Shindo, Y), July, 227

Wood abrasion
Investigations of Testing Methodology in Wood Abrasion Tests Promoted with Loose Abrasive Grains (Ohtani, T and Kamasaki, K), Nov., 439

Wooden beam
Effect of Additional Mass on the Young's Modulus of a Wooden Beam (Kubojima, Y, Tonosaki, M, and Yoshihara, H), July, 278

X

X-ray piping
Improvement to X-ray Piping Diagnostic System through Simulation (Measuring Thickness of Piping Containing Rust) (Kajiwara, G), Sept., 295

Y

Young's modulus
Effect of Additional Mass on the Young's Modulus of a Wooden Beam (Kubojima, Y, Tonosaki, M, and Yoshihara, H), July, 278